

NatureFresh



Health Insurance for Your Family

Water Purifiers, RO System, Industrial Water Treatment Plant and Home Appliances



JHARNA HOME APPLIANCES

Call us Toll Free @1800 8338333
Web : www.naturefreshindia.com

About us

JHARNA HOME APPLIANCES is an SSI registered company. That is known for maintaining high standards of quality and after sales service. The company is engaged as a manufacturer of water filter parts & components of high quality & committed to provide "Water Solutions" for domestic & industrial usage. Besides its water purifier, Reverse Osmosis, Water Treatment plant, Iron Removal filter, FRP vessel & media. It also deals in high quality home appliances. By offering solutions that are backed by latest technology at affordable price. We have created a strong brand identity of "NATURE FRESH".

Our business establishment is run by experienced management who has rich experience in this industry sector. The management is well supported by experienced team of professionals that allow us to deliver and products in both standard as well as customized specifications. Further, we are also able to understand the specific requirements of our customers and ensure that the end products delivered match up to the exact specifications as demanded by them.

Application area

Food and Beverages
Corporate House
Hotel and Restaurants
Hospital & School
Textile Industry
Pharmaceutical Industry



Our Products

- Domestic and Commercial R.O system
- 20 ltr jar plant
- Water softening system
- Package drinking water plant.
- Iron removal plant
- Home appliances

Our Esteemed Customer



Quality Policy

Quality analysis is always undertaken to maintain uniformity of standards of quality. We work towards achieving customer satisfaction throughout the world. We are a quality delivering organization and, We have manufactured our products with high quality raw material which is furnished through high grade machines in order to achieve high quality. We do quality checking of our products ensuring that all are working well before delivering these products to clients. We also conduct routing tests at every level of production so that errors can be detected at every level of production. So that errors can be detected right at the apex of manufacturing procedures.

NF M POT 15 LTR

The MINERAL Water Purifier 7 stage protection:

- Stage 1 Dome Ceramic Filter:** The ceramic filter is made of highly compressed ceramic diatomic substances, it has a very tiny porous structure of 0.2 um less than half size of bacteria (0.5 um - 1.0 um) with this filter, you will get water from rust, dust, sand and bacteria such as cholera, typhoid, coli from etc.
- Stage 2 Activated Carbon:** This stage traps taste, dust, dirt, salt, chemicals and excess chlorine from raw water.
- Stage 3 Zeolite Ball:** This stage traps harmful heavy metals such as mercury, lead and chromium.
- Stage 4 Silica Sand:** Silica always keeps the temperature of itself. So the water naturally keeps cool.
- Stage 5 Silver Impregnated Carbon:** Prevents the bacteria growth in water.
- Stage 6 Mineral Sand:** It is composed of many health effective elements such as potassium, sodium, calcium and magnesium for which it can react a mineral supplements media.
- Stage 7 Mineral Sand:** Work same as Mineral Sand. And helps to keep cool the storage water.



NF M POT 18 LTR



The MINERAL Water Purifier 7 stage protection:

- Stage 1 Dome Ceramic Filter:** The ceramic filter is made of highly compressed ceramic diatomic substances, it has a very tiny porous structure of 0.2 um less than half size of bacteria (0.5 um - 1.0 um) with this filter, you will get water from rust, dust, sand and bacteria such as cholera, typhoid, coli from etc.
- Stage 2 Activated Carbon:** This stage traps taste, dust, dirt, salt, chemicals and excess chlorine from raw water.
- Stage 3 Zeolite Ball:** This stage traps harmful heavy metals such as mercury, lead and chromium.
- Stage 4 Silica Sand:** Silica always keeps the temperature of itself. So the water naturally keeps cool.
- Stage 5 Silver Impregnated Carbon:** Prevents the bacteria growth in water.
- Stage 6 Mineral Sand:** It is composed of many health effective elements such as potassium, sodium, calcium and magnesium for which it can react a mineral supplements media.
- Stage 7 Mineral Sand:** Work same as Mineral Sand. And helps to keep cool the storage water.


EAZY FRESH

EAZY FRESH Water Purifier 3 stage protection

- Stage 1: Sediment Filter** This sediment filter 1 micron made of poly propylene spun fiber, removes suspended impurities in water like sand, rust, clay etc. from water and also up to 1 micron bacteria will not pass from this chamber.
- Stage 2: GAC Cartridge Filter** This Granular Activate Carbon Cartridge filter virtually removes/absorbers all most organic impurities, carcinogenic chemicals, chlorine, color, odor and all excess chlorine. Also prevents bacterial growth on carbon itself.
- Stage 3: Silver Impregnated Activated Post Carbon** This in line carbon filter & polisher that virtually absorbs all organic contaminant and removes all bad odors/colors, excess chlorine it improves the taste of the final product water.



INSTRADROPS



MRP
3250/-

ULTRA QUEEN

The UV Water Purifier 5 stage protection:

- Stage 1: Pre-Filter:** Before the Purifier a 5 micron pre filter attached, that removes larger particles such as dust, mud, sand, sediment, rust and other suspended particles above 5 micron.
- Stage 2: Sediment Filter:** this sediment filter 1 micron made of poly propylene spun fiber, removes suspended impurities in water like sand, rust, clay etc. from water and also up to 1 micron bacteria will not pass from this chamber.
- Stage 3: Pre-Carbon Filter:** this pre-carbon filter removes the most organic impurities, carcinogenic chemicals, chlorine, color & odor. Also prevents bacterial growth on carbon itself.
- Stage 4: Silver Impregnated Activated Post Carbon:** this in line carbon filter 8t polisher that virtually absorbs all organic contaminant and removes all bad odors/colors, excess chlorine & improves the taste of the final product water.
- Stage 5: U.V Chamber:** In this stage the water passes through the Ultra Violet (11 watt Stainless steel with quartz glass) treatment that removes/deactivate biological impurities (harmful bacteria & viruses) this process has been documented by W.H.O.



ULTRA KING

The MINERAL Water Purifier 7 stage protection:

- Stage 1 Dome Ceramic Filter:** The ceramic filter is made of highly compressed ceramic diatomic substances, it has a very tiny porous structure of 0.2 um less than half size of bacteria (0.5 um - 1.0 um) with this filter, you will get water from rust, dust, sand and bacteria such as cholera, typhoid, coli from etc.
- Stage 2 Activated Carbon:** This stage traps taste, dust, dirt, salt, chemicals and excess chlorine from raw water.
- Stage 3 Zeolite Ball:** This stage traps harmful heavy metals such as mercury, lead and chromium.
- Stage 4 Silica Sand:** Silica always keeps the temperature of itself. So the water naturally keeps cool.
- Stage 5 Silver Impregnated Carbon:** Prevents the bacteria growth in water.
- Stage 6 Mineral Sand:** It is composed of many health effective elements such as potassium, sodium, calcium and magnesium for which it can react a mineral supplements media.
- Stage 7 Mineral Sand:** Work same as Mineral Sand. And helps to keep cool the storage water.



AQUA GREEN

Element Description / Specification

- | | |
|---|--|
| <ul style="list-style-type: none"> » Structure Counter Top » Membrane » Pre Filter » Pre Filter » Carbon Filter » Booster Pump » Transformer » Production Rate » Fed Water Pressure » Reject Water » Post Carbon 10" » UV Lamp » Mineral Cartridge » Dimensions » Weight | <p>75GPD Flimtec 1 Nos.
 5-Micron PP Sediment Filter NSF with 10" Housing
 1 Micron PP Sediment Filter NSF with 10" Housing
 10" GAC with Housing (Granual Activated Carbon Kemflow)
 1.8 LPM Kemflow/DENG YOUNG One Nos.
 36 Volts One Nos.
 10-12 Litters Per Hour
 54 Ltr. Per our under pressure
 9 Ltr. Per hour
 Silver impregnated Carbon Kemflow USA
 Philips 8in
 5in 1 Nose
 (L X W X H Approx) 12" x 8" x 20"
 (Kg. Approx) 12.5 Kg</p> |
|---|--|



AQUA OXI

Element Description / Specification

- | | |
|---|--|
| <ul style="list-style-type: none"> » Structure Counter Top » Membrane » Pre Filter » Pre Filter » Carbon Filter » Booster Pump » Transformer » Production Rate » Fed Water Pressure » Reject Water » Post Carbon 10" » UV Lamp » Mineral Cartridge » Dimensions » Weight | <p>75GPD Flimtec 1 Nos.
 5-Micron PP Sediment Filter NSF with 10" Housing
 1 Micron PP Sediment Filter NSF with 10" Housing
 10" GAC with Housing (Granual) Activated Carbon Kemflow)
 1.8 LPM Kemflow/DENG YOUNG One Nos.
 36 Volts One Nos.
 10-12 Litters Per Hour
 54 Ltr. Per our under pressure
 9 Ltr. Per hour
 Silver impregnated Carbon Kemflow USA
 Philips 8in
 5in 1 Nose
 (Lx Wx H Approx) 12" x 8" x 20"
 (Kg. Approx) 12.5 Kg.</p> |
|---|--|



AQUA HONEY

Element Description / Specification

- » Structure Counter Top
- » Membrane 75GPD Flimtec 1 Nos.
- » Pre Filter 5-Micron PP Sediment
- » Pre Filter Filter NSF with 10" Housing
- » Carbon Filter 1 Micron PP Sediment
- » Carbon Filter Filter NSF with 10" Housing
- » Carbon Filter 10" GAC with Housing
- » Carbon Filter (Granual Activated Carbon Kemflow)
- » Carbon Filter 1.8 LPM Kemflow/DENG
- » Carbon Filter YOUNG One Nos.
- » Carbon Filter 36 Volts One Nos.
- » Carbon Filter 10-12 Litters Per Hour
- » Carbon Filter 54 Ltr. Per our under pressure
- » Carbon Filter 9 Ltr. Per hour
- » Carbon Filter Silver impregnated Carbon Kemflow USA
- » Carbon Filter Philips 8in
- » Carbon Filter 5in 1 Nose
- » Carbon Filter (Lx Wx H Approx) 12" x 8" x 20"
- » Carbon Filter (Kg. Approx) 12.5 Kg.




AQUA BLUE

Element Description / Specification

- » Structure Counter Top
- » Membrane 75GPD Flimtec 1 Nos.
- » Pre Filter 5-Micron PP Sediment
- » Pre Filter Filter NSF with 10" Housing
- » Pre Filter 1 Micron PP Sediment
- » Pre Filter Filter NSF with 10" Housing
- » Carbon Filter 10" GAC with Housing
- » Carbon Filter (Granual Activated Carbon Kemflow)
- » Carbon Filter 1.8 LPM Kemflow/DENG
- » Carbon Filter YOUNG One Nos.
- » Carbon Filter 36 Volts One Nos.
- » Carbon Filter 10-12 Litters Per Hour
- » Carbon Filter 54 Ltr. Per our under pressure
- » Carbon Filter 9 Ltr. Per hour
- » Carbon Filter Silver impregnated Carbon Kemflow USA
- » Carbon Filter Philips 8in
- » Carbon Filter 5in 1 Nose
- » Carbon Filter (Lx Wx H Approx) 12" x 8" x 20"
- » Carbon Filter (Kg. Approx) 12.5 Kg.



IRON REMOVAL PLANT



20 LTR JAR PLANT



OXI CLEAN

Auto Clean with Gas Sensor

» Suction Power	1000m ³ /Hr
» Motor	2 Pes.
» Motor Power	65 watts (each)
» Voltage	220V - 50 Hz
» Noise Level	56 db
» Lamp	1Pcs. (25 Watts)
» Oil Collection Cap	3 Pes.
» Dimension	L75 X W55 X H20cm
» Body	Metal
» Weight	12Kgs (approx)



OXI ACTIVE

Auto Clean



» Suction Power	800m ³ /Hr
» Motor	2 Pes.
» Motor Power	65 watts (each)
» Voltage	220V - 50 Hz
» Noise Level	56 db
» Lamp	1 Pes. (25 Watts)
» Oil Collection Cap	3 Pes.
» Dimension	L71 X W52 X H13cm
» Body	Metal
» Weight	12Kgs (approx)

BLACK BEAUTY

With Remote

» Suction Power	1080m ³ /Hr
» Motor	1 Pc.
» Motor Power	180 watts
» Voltage	220V - 50 Hz
» Noise Level	56 db
» Lamp	2 Pes. (25 Watts)
» Oil Collection Cap	1 Pc.
» Dimension	L78 X W50 X H55cm
» Body	Glass with Stainless Steel
» Weight	20 Kgs (approx)



BLACK QUEEN

Without Remote



» Suction Power	1080m ³ /Hr
» Motor	1 Pc.
» Motor Power	180 watts
» Voltage	220V - 50 Hz
» Noise Level	56 db
» Lamp	2 Pcs. (25 Watts)
» Oil Collection Cap	1 Pc.
» Dimension	L78xW50xH55cm
» Body	Glass with Stainless Steel
» Weight	20 Kgs (approx)

INDUCTION OVENS

- » Rated Voltage :220v - 240 v AC , 50 Hz
- » Ceramic or black crystals plates
- » With pot

PUSH BUTTON




- » Rated Voltage :220v - 240 v AC , 50 Hz
- » Feather Touch Black Crystal Plates,
- » Seven Digital Display
- » Voice function
- » With Pot.

FEATHER TOUCH WITH TALKING

LP GAS OVENS

3 BURNER





JHARNA HOME APPLIANCES

Regd. Office: Ambari Falakata, Dist. Jalpaiguri, W.B.

Copr. Office: 2/84 Dum Dum Road

Kolkata 700 074

Tel: 033 65404651 / 9088190111

Email: md@naturefreshindia.com

Web: www.naturefreshindia.com